

Atlas

Brown Coal

Yee Shuang Sim, Dara Rüfenacht, and Shriya Chaudhry


At the beginning of our modern age stands the industrial revolution. This was a time of change: A change from organic energy to mineral energy, a mechanisation of production processes and an intense commodifying of the land. This development was fuelled by coal as the new primary energy source for the people and the industry. The legal and historical context made brown coal a relatively cheap and locally available energy source in Germany. However this idea of cheap energy does not take into account the eternal costs brown coal mining and burning bring with them.

The mining pits move through the landscape and swallow everything on their way. They destroy the soil, the land and the social networks inherent in the region. The law forces the mining companies to recultivate the land after the excavation process. They have the ultimate control over the land and with this the ability to create a new landscape. They attempt to erase all traces of the mining, and yet the land remains engraved with the history of this vast industrial transformation.



THE TORN SOIL OF THE HAMBACH MINING PIT IN THE RHEINISCHE REVIER
Source: Bernhard Lang, 2014. [<https://www.bernhardlang.de/coalmine>]

Brown Coal Is A Low Grade Coal Product




COALIFICATION AND CARBONISATION OF PLANT MATTER

Source: Coal, 2019.

[<https://www.sciencedirect.com/science/article/pii/B9780081022016000017>]

Coalification is the process of carbonisation of plant matter, that creates different types of coal. They are defined by their concentration of carbon and their corresponding heating values. Over time the plant material is covered by more and more sediments. This raises the levels of pressure and heat which drives the process of carbonisation. Through this process different types of coal can be found at different depths in the ground.




COALIFICATION AND CARBONISATION OF PLANT MATTER

Source: Coal, 2019.


[<https://www.sciencedirect.com/science/article/pii/B9780081022016000017>]

Coalification is the process of carbonisation of plant matter, that creates different types of coal. They are defined by their concentration of carbon and their corresponding heating values. Over time the plant material is covered by more and more sediments. This raises the levels of pressure and heat which drives the process of carbonisation. Through this process different types of coal can be found at different depths in the ground.


Brown Coal Fueled Industrialisation



In Germany brown coal has a long history as an important energy source. It was the foundation of a rapid industrialisation and the driving force behind economic growth and energy autarky.




HAND DIGGING PEAT AND
BROWN COAL IN 1796
Source: Unternehmen Braunkohle, Arno
Kleinbeckel, 1986.




BRIQUET FACTORY DONATUS 1897
Source: Unternehmen Braunkohle: Arno
Kleinbeckel, 1986.

In pre-industrial times, brown coal was mined by hand as a byproduct of clay mining sites. It was pressed into briquets and used as a heating material.




STEAM SHOVEL ON A
CONSTRUCTION SITE, 1906
Source: P.J. Thompson, Library of Congress, 1906.



EARLY POWER PLANT GOLDENBERG IN 1914
Source: Das Rheinische Braunkohlenrevier als
Denkmalslandschaft: Landschaftsverband
Rheinland, 2002.

With the industrialisation in the 19th century came a growing mechanisation and more machinery in the mining of brown coal. The coal was still mainly used to produce thermal energy. Only the lack of available hard coal, as a result of the first World War and the Treaty of Versailles, led to an investment into brown coal power generation.



PROMOTIONAL ADVERTISING OF PETROL FROM LIQUIFIED BROWN COAL IN NAZI GERMANY

Source: Kohle zu Benzin, 1931.

[<http://www.dasgeiseltal.de/content/kohlechemie/>]




RWE ORIGINAL STOCK FOR 100'000 DM

Source: RWE, 1967.


In Nazi Germany brown coal was used to create petrol by liquifying it through hydrogenation. This supported the political goal of a self-sufficient national energy production.

With the oil crisis of the 1970s brown coal boomed as an energy source. With this came a concentration of economical power in the mining districts. Brown coal mining in Germany reached it's peak in the 1980s.

In pre-industrial times, brown coal was mined by hand as a byproduct of clay mining sites. It was pressed into briquets and used as a heating material.




STEAM SHOVEL ON A CONSTRUCTION SITE, 1906
Source: P.J. Thompson, Library of Congress, 1906.



EARLY POWER PLANT GOLDENBERG IN 1914
Source: Das Rheinische Braunkohlenrevier als Denkmalslandschaft: Landschaftsverband Rheinland, 2002.

With the industrialisation in the 19th century came a growing mechanisation and more machinery in the mining of brown coal. The coal was still mainly used to produce thermal energy. Only the lack of available hard coal, as a result of the first World War and the Treaty of Versailles, led to an investment into brown coal power generation.



PROMOTIONAL ADVERTISING OF PETROL FROM LIQUIIFIED BROWN COAL IN NAZI GERMANY
Source: Kohle zu Benzin, 1931.
[<http://www.dasgeiseltal.de/content/kohlechemie/>]



RWE ORIGINAL STOCK FOR 100'000 DM
Source: RWE, 1967.

In Nazi Germany brown coal was used to create petrol by liquifying it through hydrogenation. This supported the political goal of a self-sufficient national energy production. With the oil crisis of the 1970s brown coal boomed as an energy source. With this came a concentration of economical power in the mining districts. Brown coal mining in Germany reached it's peak in the 1980s.


Geological Conditions Of Open Pit Mining



BROWN COAL RESERVES IN EUROPE

Source: Euracoal. [<https://euracoal.eu/info/country-profiles>]

- Permian, Carboniferous and Devonian geological surfaces
- Active brown coal mines
- Brown coal reserves



SOIL PROFILE OF THE LOWER RHINE BAY

Source: Der Braunkohlentagebau, 2009.

[https://link.springer.com/content/pdf/10.1007/978-3-540-78401-2_2]

- Gravel and sand (Quarter)
 - Sand and gravel (Tertiary)
- Sand and clay (Tertiary)
 - Clay (Tertiary)
- Brown coal (Carboniferous)
 - Clay and sand (Devonian)


Brown coal can mainly be found in the Permian, Carboniferous and Devonian geological surfaces. It lays in the ground as specific layers at around 300 to 500 meters depth. Due to the tectonic activities these layers move over time and are split apart into the coal seams of today. Those two aspects are the reason why brown coal is mined from the surface in an open pit.



BROWN COAL RESERVES IN EUROPE

Source: Euracoal. [<https://euracoal.eu/info/country-profiles>]

- Permian, Carboniferous and Devonian geological surfaces
- Active brown coal mines
- Brown coal reserves



SOIL PROFILE OF THE LOWER RHINE BAY


Source: Der Braunkohlentagebau, 2009.

[https://link.springer.com/content/pdf/10.1007/978-3-540-78401-2_2]

- Gravel and sand (Quarter)
- Sand and clay (Tertiary)
- Brown coal (Carboniferous)
- Sand and gravel (Tertiary)
- Clay (Tertiary)
- Clay and sand (Devonian)

Brown coal can mainly be found in the Permian, Carboniferous and Devonian geological surfaces. It lays in the ground as specific layers at around 300 to 500 meters depth. Due to the tectonic activities these layers move over time and are split apart into the coal seams of today. Those two aspects are the reason why brown coal is mined from the surface in an open pit.


Low Efficiency Metabolism



MATERIAL FLOW AND PROCESSES OF BROWN COAL POWER GENERATION

Source: RWE Power AG. [<https://www.rwe.com/unsere-energie/konventionelle-energien-entdecken/braunkohle>] BUND NRW. [<https://www.bund-nrw.de/themen/braunkohle/hintergruende-und-publikationen/braunkohle-und-umwelt/braunkohle-und-wasser/>] Thru.de. [https://thru.de/daten/suche/details/thru-form-backlink-id/429/thru-berichtsjahr/2020/thru-details-jahr/2020/thru-details-id/58624/thru-liste-id/603/?src__resultlist=suche-betriebe&rbObereinheit=1&betriebseinrichtung=neurath&vertraulichkeit=2&plz=&ort=&haupttaetigkeit_schluesssel=1&flusseinzugsgebiet_schluesssel%5B0%5D=alle&flusseinzugsgebiet_schluesssel%5B1%5D=100&flusseinzugsgebiet_schluesssel%5B2%5D=950&flusseinzugsgebiet_schluesssel%5B3%5D=500&flusseinzugsgebiet_schluesssel%5B4%5D=300&flusseinzugsgebiet_schluesssel%5B5%5D=700&flusseinzugsgebiet_schluesssel%5B6%5D=600&flusseinzugsgebiet_schluesssel%5B7%5D=200&flusseinzugsgebiet_schluesssel%5B8%5D=961&flusseinzugsgebiet_schluesssel%5B9%5D=965&flusseinzugsgebiet_schluesssel%5B10%5D=400&eigentuemmer_betreiber=&muttersellschaft=&bs_00=00&bs_01=01&bs_02=02&bs_03=03&bs_04=04&bs_05=05&bs_06=06&bs_07=07&bs_08=08&bs_09=09&bs_10=10&bs_11=11&bs_12=12&bs_13=13&bs_14=14&bs_15=15&bs_16=16&branchengruppe=&taetigkeit=&nace-name=&nace-schluesssel=&schadstoffgruppen=&schadstoff=&ks_0=alle&ks_1=1&ks_2=2&ks_3=3&ks_4=&bms_0=alle&bms_1=1&bms_2=2&bms_3=3&rbFrachtBerechnung=1&at_1=&at_2=&staat=&cHash=e2a4cbf281e4eb6d383a5cf8edb5a6b5] IPCC. [<https://archive.ipcc.ch/ipccreports/tar/wg1/249.htm>]

The material flows of brown coal power generation show a very one sided relation between waste material output, as overburden, and electric output. Even with the most technologically advanced methods available today brown coal only reaches an efficiency of 43 %. A large amount of energy is lost as heat, which evaporates as steam into the atmosphere. Additionally to this brown coal also produces extensive amounts of emissions with long term negative effects on people's health and the ecology of the planet.




MATERIAL FLOW AND PROCESSES OF BROWN COAL POWER GENERATION


Source: RWE Power AG. [<https://www.rwe.com/unsere-energie/konventionelle-energien-entdecken/braunkohle>] BUND NRW. [<https://www.bund-nrw.de/themen/braunkohle/hintergruende-und-publikationen/braunkohle-und-umwelt/braunkohle-und-wasser/>] Thru.de. [https://thru.de/daten/suche/details/thru-form-backlink-id/429/thru-berichtsjahr/2020/thru-details-jahr/2020/thru-details-id/58624/thru-liste-id/603/?src_resultlist=suche-betriebe&rbObereinheit=1&betriebseinrichtung=neurath&vertraulichkeit=2&plz=&ort=&haupttaetigkeit_schluesssel=1&flusseinzugsgebiet_schluesssel%5B0%5D=alle&flusseinzugsgebiet_schluesssel%5B1%5D=100&flusseinzugsgebiet_schluesssel%5B2%5D=950&flusseinzugsgebiet_schluesssel%5B3%5D=500&flusseinzugsgebiet_schluesssel%5B4%5D=300&flusseinzugsgebiet_schluesssel%5B5%5D=700&flusseinzugsgebiet_schluesssel%5B6%5D=600&flusseinzugsgebiet_schluesssel%5B7%5D=200&flusseinzugsgebiet_schluesssel%5B8%5D=961&flusseinzugsgebiet_schluesssel%5B9%5D=965&flusseinzugsgebiet_schluesssel%5B10%5D=400&eigentuemer_betreiber=&muttergesellschaft=&bs_00=00&bs_01=01&bs_02=02&bs_03=03&bs_04=04&bs_05=05&bs_06=06&bs_07=07&bs_08=08&bs_09=09&bs_10=10&bs_11=11&bs_12=12&bs_13=13&bs_14=14&bs_15=15&bs_16=16&branchengruppe=&taetigkeit=&nace-name=&nace-schluesssel=&schadstoffgruppen=&schadstoff=&ks_0=alle&ks_1=1&ks_2=2&ks_3=3&ks_4=&bms_0=alle&bms_1=1&bms_2=2&bms_3=3&rbFrachtBerechnung=1&at_1=&at_2=&staat=&cHash=e2a4cbf281e4eb6d383a5cf8edb5a6b5] IPCC. [<https://archive.ipcc.ch/ipccreports/tar/wg1/249.htm>]

The material flows of brown coal power generation show a very one sided relation between waste material output, as overburden, and electric output. Even with the most technologically advanced methods available today brown coal only reaches an efficiency of 43 %. A large amount of energy is lost as heat, which evaporates as steam into the atmosphere. Additionally to this brown coal also produces extensive amounts of emissions with long term negative effects on people's health and the ecology of the planet.

Oversized Technologies




FROM SOIL TO ELECTRICITY—BROWN COAL EXCAVATION AS A LINEAR PROCESS
Source: Wie funktioniert Tagebau?, RWE Power AG, 2013.
[<https://www.youtube.com/watch?v=2cml68HPq0c>]




COAL EXCAVATION WITH A BUCKET WHEEL EXCAVATOR

The bucket-wheel excavator (BWE) has been used in mining for the past century. It is used in conjunction with many other pieces of mining machinery (conveyor belts, spreaders and crushing stations) to excavate and move massive amounts of overburden (waste material) and brown coal.




TAGEBAU HAMBACH CONVEYOR BELT JUNCTION POINT


From the bucket-wheel excavator all the excavation material is dropped directly onto the 115km long conveyor belt system. The conveyor belt transports it at 27 km/h to the junction point, from where the different materials are distributed to their target locations.



HEATING AND POWER GENERATION



COOLING AND FOSSIL EMISSIONS




TECHNICAL PROCESSES OF BROWN COAL POWER GENERATION
 Source: Braunkohlekraftwerk Animation, Bundesverband Braunkohle, 2016.
 [https://www.youtube.com/watch?v=nCEUCJM6_IE]


The process of power generation starts with the arrival of coal from the coal mines by railways. The coal is taken to the pulveriser to convert it into a fine powder. This coal dust is fed into the boiler. The thermal energy released from this fuel is used to boil the water up to 500 degrees Celsius, thus converting it into high-pressure steam which is transferred to the turbines.

The turbines turn at a really high frequency, converting the pressure energy of the steam into mechanical energy. This energy is used to make electricity through a generator. The voltage output of the generator is further stepped up, to be transferred to the nearest power grid through transmission cables.

To relax and cool down the steam, it is condensed. Cool water from a reservoir is pumped to the condenser and after the heat exchange, it is pumped back to the water body. The rest of the heat is released from the cooling tower as steam. The fumes from the furnace are filtered and desulphurised before being released into the atmosphere through the stacks.




FROM SOIL TO ELECTRICITY—BROWN COAL EXCAVATION AS A LINEAR PROCESS
 Source: Wie funktioniert Tagebau?, RWE Power AG, 2013.
 [https://www.youtube.com/watch?v=2cml68HPq0c]



COAL EXCAVATION WITH A BUCKET WHEEL EXCAVATOR

The bucket-wheel excavator (BWE) has been used in mining for the past century. It is used in conjunction with many other pieces of mining machinery (conveyor belts, spreaders and crushing stations) to excavate and move massive amounts of overburden (waste material) and brown coal.



TECHNICAL PROCESSES OF BROWN COAL POWER GENERATION
 Source: Braunkohlekraftwerk Animation, Bundesverband Braunkohle, 2016.
[\[https://www.youtube.com/watch?v=nCEUCJM6_IE\]](https://www.youtube.com/watch?v=nCEUCJM6_IE)

The process of power generation starts with the arrival of coal from the coal mines by railways. The coal is taken to the pulveriser to convert it into a fine powder. This coal dust is fed into the boiler. The thermal energy released from this fuel is used to boil the water up to 500 degrees Celsius, thus converting it into high-pressure steam which is transferred to the turbines.

The turbines turn at a really high frequency, converting the pressure energy of the steam into mechanical energy. This energy is used to make electricity through a generator. The voltage output of the generator is further stepped up, to be transferred to the nearest power grid through transmission cables.


To relax and cool down the steam, it is condensed. Cool water from a reservoir is pumped to the condenser and after the heat exchange, it is pumped back to the water body. The rest of the heat is released from the cooling tower as steam. The fumes from the furnace are filtered and desulphurised before being released into the atmosphere through the stacks.

Mining Landscapes in the Rheinische Revier




MINING PITS FOLLOWING THE BROWN COAL SEAMS THROUGH THE LANDSCAPE BETWEEN 1984 AND 2020, ILLUSTRATING THE CONTINUOUS LAND ACQUISITION BY RWE AND THE MASSIVE LAND USE OF EXTRACTION
Source: Google Earth Pro.

Over time the mining pits are moving through the landscape of the Rheinische Revier, following the coal seams. They eat up everything that lays in their way: the farmland, the villages and the forests. When all the coal is extracted the area is recultivated by the mining company. Through the mining the entire region undergoes a cycle of extraction and recultivation.



THE LAND BEFORE MINING OPERATIONS



DEFORESTATION, GROUND WATER DRAINAGE AND EXCAVATION OF OVERBURDEN AND BROWN COAL DURING THE MINING OPERATION




REFILLING THE SOIL AFTER THE EXTRACTION OF BROWN COAL

RE CULTIVATION OF THE LAND

In detail, the cycle of extraction and recultivation of the forest takes four major steps: First the land before deforestation is a healthy forest with a decent amount of humus. Under it lay different types of soil, such as loess and clay. Deep down in the ground is the brown coal seam. All those layers are wet from the ground water, whose highest layers lay around the same depth and below the brown coal. To begin its operations the mining company has to cut down the trees and drain the ground water to a lower level. They excavate the upper layers of soil to reach the brown coal seam. This overburden is transported to the other side of the mine and used as infill material. When the mining company has extracted all the available brown coal they are legally obligated to recultivate the land. To achieve this they fill up the ground with the overburden soil materials. When the desired height is reached a top soil layer of humus is added to allow the growth of new plants. Trees and bushes are planted using seeds from the forest that stood there before to ensure the right plant diversity. Animals are transported there to create the necessary biodiversity.

Although RWE claim that this recultivation is a restoration of the soil, it loses at least part of its properties due to the digging and rearranging. The new forest would take a long time to reach the ecosystem qualities of the original one. This is especially problematic considering that, according to the IPCC, the landscape in this region (Nordrhein-Westfalen) will have to deal with more intense heatwaves in the future. Because of this the new forest is at a higher risk of burning down. Additionally the ground water level cannot simply be restored. This is a geological process that will take hundreds of years. Until then the soil is drier. All these factors mean that the recultivated soil cannot be seen the same as the original, it has new properties and therefore new challenges.




THE BROWN COAL MINING LANDSCAPE OF THE RHEINISCHE REVIER
Source: Thomas Römer, wikimedia commons, 2018.
[https://commons.wikimedia.org/wiki/File:Rheinisches_Braunkohlerevier_DE.png]

- | | | |
|----------------------------|-----------------|--|
| Mining areas | Conveyor belts | Resettled Villages |
| Waterbodies | Railway tracks | Villages originally planned to be mined away |
| Forestry recultivation | Power plants | |
| Agricultural recultivation | Former villages | |




MINING PITS FOLLOWING THE BROWN COAL SEAMS THROUGH THE LANDSCAPE BETWEEN 1984 AND 2020, ILLUSTRATING THE CONTINUOUS LAND ACQUISITION BY RWE AND THE MASSIVE LAND USE OF EXTRACTION
Source: Google Earth Pro.


Over time the mining pits are moving through the landscape of the Rheinische Revier, following the coal seams. They eat up everything that lays in their way: the farmland, the villages and the forests. When all the coal is extracted the area is recultivated by the mining company. Through the mining the entire region undergoes a cycle of extraction and recultivation.



THE LAND BEFORE MINING OPERATIONS



DEFORESTATION, GROUND WATER DRAINAGE AND EXCAVATION OF OVERBURDEN AND BROWN COAL DURING THE MINING OPERATION




REFILLING THE SOIL AFTER THE
EXTRACTION OF BROWN COAL

RECOLTIVATION OF THE LAND

In detail, the cycle of extraction and recultivation of the forest takes four major steps: First the land before deforestation is a healthy forest with a decent amount of humus. Under it lay different types of soil, such as loess and clay. Deep down in the ground is the brown coal seam. All those layers are wet from the ground water, whose highest layers lay around the same depth and below the brown coal. To begin its operations the mining company has to cut down the trees and drain the ground water to a lower level. They excavate the upper layers of soil to reach the brown coal seam. This overburden is transported to the other side of the mine and used as infill material. When the mining company has extracted all the available brown coal they are legally obligated to recultivate the land. To achieve this they fill up the ground with the overburden soil materials. When the desired height is reached a top soil layer of humus is added to allow the growth of new plants. Trees and bushes are planted using seeds from the forest that stood there before to ensure the right plant diversity. Animals are transported there to create the necessary biodiversity.

Although RWE claim that this recultivation is a restoration of the soil, it loses at least part of its properties due to the digging and rearranging. The new forest would take a long time to reach the ecosystem qualities of the original one. This is especially problematic considering that, according to the IPCC, the landscape in this region (Nordrhein-Westfalen) will have to deal with more intense heatwaves in the future. Because of this the new forest is at a higher risk of burning down. Additionally the ground water level cannot simply be restored. This is a geological process that will take hundreds of years. Until then the soil is drier. All these factors mean that the recultivated soil cannot be seen the same as the original, it has new properties and therefore new challenges.



THE BROWN COAL MINING LANDSCAPE OF THE RHEINISCHE REVIER
Source: Thomas Römer, wikimedia commons, 2018.
[https://commons.wikimedia.org/wiki/File:Rheinisches_Braunkohlerevier_DE.png]

- | | | |
|----------------------------|-----------------|--|
| Mining areas | Conveyor belts | Resettled Villages |
| Waterbodies | Railway tracks | Villages originally planned to be mined away |
| Forestry recultivation | Power plants | |
| Agricultural recultivation | Former villages | |

SOURCES

- Ballmann, S. et al. "Automatisierungsprojekte an den Großgeräten im Tagebau Hambach." *Bergbau*, no. 55 (2004): 108-114.
- Becker, Maximilian. "Vergesellschaften wir den Energiesektor." *Jacobin*. Accessed 10 October 2022. <https://jacobin.de/artikel/vergesellschaften-wir-den-energiesektor-energiepreise-gasumlage-uniper-habeck-klimakrise-maximilian-becker>
- "Überprüfung der Abraumbilanzierung und geplante Böschungssysteme der RWE AG im Tagebau Hambach und Erfordernis der Inanspruchnahme der Manheimer Bucht." Bezirksregierung Köln. Accessed 10 October 2022. https://www.bezreg-koeln.nrw.de/brk_internet/gremien/braunkohlenuusschuss/gutachten_hambach/gutachten.pdf
- "Bodenarten: Lehmboden, Tonboden & Co. selbst bestimmen." *Plantura Magazin*. Accessed 10 October 2022. <https://www.plantura.garden/gartenpraxis/boden-und-erde/bodenarten>
- "Braunkohlekraftwerk Animation." *YouTube* Video, posted by "DEBRIV Bundesverband Braunkohle". Accessed 27 September 2022. https://www.youtube.com/watch?v=nCEUCJM6_IE
- "Coal: Resources and Future Production." Energy Watch Group. Accessed 10 October 2022. https://web.archive.org/web/20140502032403/http://energywatchgroup.org/wp-content/uploads/2014/02/EWG_Report_Coal_10-07-2007ms.pdf
- "Daten und Fakten zu Braun- und Steinkohle. Stand und Perspektiven 2021." Umweltbundesamt. Accessed 4 October 2022. https://www.umweltbundesamt.de/sites/default/files/medien/5750/publikationen/2021-03-18_texte_28-2021_daten_fakten_braun-und_steinkohle.pdf
- "Deutschland – Rohstoffsituation 2020." Bundesanstalt für Geowissenschaften und Rohstoffe. Accessed 10 October 2022. https://www.bgr.bund.de/DE/Themen/Min_rohstoffe/Downloads/rohsit-2020.pdf?__blob=publicationFile&v=4
- "Die deutsche Braunkohlewirtschaft." Agora Energiewende. Accessed 4 October 2022. https://static.agora-energiewende.de/fileadmin/Projekte/2017/Deutsche_Braunkohlenwirtschaft/Agora_Die-deutsche-Braunkohlenwirtschaft_WEB.pdf
- "Die Genese von schwer gewinnbaren Tonen und Toneisensteinen im basalen Bereich der Inden-Schichten im Tagebau Hambach." Rainer Kleinow, RWTH Aachen. Accessed 10 October 2022. <https://publications.rwth-aachen.de/record/573679/files/573679.pdf>
- "Energie für die Zukunft – Wie die Braunkohle im Tagebau Garzweiler gewonnen wird." (Part 2) *YouTube* Video, posted by "RWE". Accessed 27 September 2022. <https://www.youtube.com/watch?v=2cml68HPq0c>
- "Energie für die Zukunft – Wie die Braunkohle im Tagebau Garzweiler gewonnen wird." (Part 1) *YouTube* Video, posted by "RWE". Accessed 27 September 2022. <https://www.youtube.com/watch?v=XZJThbjPegI>
- Esposito, Eva et al. "The European Coal Curse." *Journal of economic growth* 26, no. 1 (2021): 77-112. <https://doi.org/10.1007/s10887-021-09187-w>
- "Flöze, Gruben, Schächte – Geschichte der Braunkohle in Deutschland." Heinrich-Böll-Stiftung. Accessed 27 September 2022. <https://www.boell.de/de/2018/12/27/floetze-gruben-schaechte-geschichte-der-braunkohle-deutschland#:~:text=Im%2017%,kleinem%20Umfang%20in%20Gruben%20abgebaut>
- "Gesetz zur Reduzierung und Beendigung der Kohleverstromung und zur Änderung weiterer Gesetze (Kohleausstiegsgesetz)." *Bundesgesetzblatt Online*. Accessed 11 October 2022. https://www.bgbl.de/xaver/bgbl/start.xav?startbk=Bundesanzeiger_BGBI&start=//%5b@attr_id=%27bgbl120s1818.pdf%27%5d#__bgbl_%2F%2F%5B%40attr_id%3D%27bgbl120s1818.pdf%27%5D__1666114279592
- Gutes Leben – Gute Arbeit. *Revierperspektiven Rheinland*. Accessed 10 October 2022. <https://revierperspektiven-rheinland.de>
- Hambacher Bleibt! Accessed 4 October 2022. <https://hambacherforst.org>
- "How Coal Fired Thermal Power Stations Work." *YouTube* Video, posted by "saVRee". Accessed 4 October 2022. <https://www.youtube.com/watch?v=eqn0VBVWS50>
- "Innovative Nutzung von Wärmepotenzialen im Rheinischen Braunkohlerevier." RWE Power AG. Accessed 10 October 2022. <https://docplayer.org/13024646-Innovative-nutzung-von-waermepotenzialen-im-rheinischen-braunkohlenrevier.html>

- “Kohleatlas. Daten und Fakten über einen globalen Brennstoff.” Heinrich-Böll-Stiftung, Bund für Umwelt und Naturschutz Deutschland. Accessed 27 September. https://www.bund.net/fileadmin/user_upload_bund/_migrated/publications/150601_bund_klima_energie_kohleatlas.pdf
- Krøijer, Stine et al. “Undermining Life: A German Coal-Mining Region [focus].” *Terrain* online, no. 71 (2019): 104–. <https://doi.org/10.4000/terrain.18146>
- Milojcic, G. “Perspektive des Rohstoffs Braunkohle”, in *Der Braunkohletagebau*, ed. Niemann-Delius, C. et al (Berlin: Springer, 2009) Accessed 27 September 2022. https://doi.org/10.1007/978-3-540-78401-2_1
- “Änderung des Braunkohlenplans Teilplan 12/1 Tagebau Hambach aus Anlass der Leitentscheidung der Landesregierung NRW vom 23.03.2021.” RWE Power AG. Accessed 10 October 2022. <https://www.rwe.com/-/media/RWE/documents/01-der-konzern/betriebsstandorte/tagebau-hambach/vorhabenbeschreibung.pdf>
- Pahle, M. et al. “Die unterschätzten Risiken des Kohleausstiegs.” *Energiewirtschaftliche Tagesfragen*, no. 6 (2019): 1-4. <https://www.pik-potsdam.de/members/pahle/pahle-edenhofer-et-al-risiken-kohleausstieg.pdf>
- Suárez-Ruiz, Isabel et al., “Coal”, in *New Trends in Coal Conversion: Combustion, Gasification, Emissions, and Coking*, ed. Isabel Suárez-Ruiz et al (Duxford:Wodhead Publishing, 2019), 1-30.
- “Tagebau Hambach.” RWE Power AG. Accessed 27 September 2022. <https://www.rwe.com/der-konzern/laender-und-standorte/tagebau-hambach>
- “Tagebau Hambach. Versorgungssicherheit mit heimischer Energie.” RWE Power AG. Accessed 27 September 2022. <https://docplayer.org/24292714-Rwe-power-tagebau-hambach-versorgungssicherheit-mit-heimischer-energie.html>
- “Verantwortungsvoller Umgang mit einer wichtigen Ressource. Die Wasserwirtschaft im Rheinischen Braunkohlerevier.” RWE Power AG. Accessed 4 October 2022. <https://www.rwe.com/-/media/RWE/documents/01-der-konzern/betriebsstandorte/wasserwirtschaft.pdf>
- “Verschwindende Dörfer. Bund für Umwelt und Naturschutz Deutschland, NRW. Accessed 4 October 2022. <https://www.bund-nrw.de/themen/braunkohle/hintergruende-und-publikationen/verheizte-heimat/verschwindende-doerfer>
- “Why Germany Is Rapidly Digging Europe’s Largest Hole.” *YouTube* Video, posted by “OBF”. Accessed 27 September 2022. <https://www.youtube.com/watch?v=sc1F0xVHsCY>
- “Zukunft ist unser Revier. Zukunftsagentur Rheinisches Revier. Accessed 4 October 2022. https://revierperspektiven-rheinland.de/wp-content/uploads/2019/05/Download_Zukunft_ist_unser_Revier.pdf
- “Zukunft statt Braunkohle. 30 Jahre Widerstand gegen den Tagebau Garzweiler II.” Bund für Umwelt und Naturschutz Deutschland, NRW. Accessed 4 October 2022. https://www.bund-nrw.de/fileadmin/nrw/dokumente/braunkohle/2014_05_Zukunft_statt_Braunkohle_30_Jahre_Wid_erstand_GarzweilerII_web.pdf

This work by Yee Shuang Sim, Dara Rüfenacht, and Shriya Chaudhry was created as part of the design studio Power to the People at ETH Zurich in Fall 2022. The PDF is intended for educational purposes only. Its commercial distribution is strictly forbidden.

© 2024, Architecture of Territory

Architecture of Territory
Professor Milica Topalović

TEACHING TEAM

Muriz Djurdjevic
Dorothee Hahn
Milica Topalović
Jan Westerheide

Prof. Milica Topalović
ETH Zurich
ONA G41
Neunbrunnenstrasse 50
8093 Zurich
Switzerland
+41 (0)44 633 86 88
www.topalovic.arch.ethz.ch